

## TYPICAL BOAT TRAILER SPECIFICATIONS / EST.



[BOAT STORAGE SOLUTIONS - CLICK HERE](#)

LOAD CAPACITY	OVERALL WIDTH	BOAT LENGTH	WIDTH BETWEEN FENDERS	EST. TIRE CENTERLINE	EST. TIRE OUTSIDE WIDTH
<b>Single Axle Bunk</b>					
1000	62	14'-16'	48	55	58.5
1300	62	14'-15'	48	55	58.5
1500	78	15'-16'	60	69	73.5
1800	84	16'-17'	67	75.5	79.75
2000	84	16'-17'	67	75.5	79.75
2200	84	17'-18'	67	75.5	79.75
2400	84	17'-18.5'	67	75.5	79.75

<b>Single Axle Bunk</b>					
2600	102	18'-19'	84	93	97.5
2800	102	19'-20'	84	93	97.5
2800	102	20'-21'	84	93	97.5
3000	102	18'-20'	84	93	97.5
3100	102	20'-21"	84	93	97.5
3300	102	20'-21'	84	93	97.5

<b>Tandem Axle Bunk</b>					
3600	102	18'-20'	84	93	97.5
3700	102	21'-23'	84	93	97.5
4200	102	21'-23'	84	93	97.5
4700	102	21'-23'	84	93	97.5
5200	102	21'-23'	84	93	97.5
5600	102	21'-23'	84	93	97.5
5900	102	24'-25'	84	93	97.5
6400	102	25'-26'	84	93	97.5
7400	102	25'-27'	84	93	97.5
7900	102	25'-27'	84	93	97.5

<b>Triple Axle Bunk</b>					
7600	102	26'-27'	84	93	97.5
8600	102	27'-28'	84	93	97.5
9200	102	28'-30'	84	93	97.5
10,800	102	29'-31"	84	93	97.5



LOAD CAPACITY	OVERALL WIDTH	BOAT LENGTH	WIDTH BETWEEN FENDERS	EST. TIRE CENTERLINE	EST. TIRE OUTSIDE WIDTH
<b>Watercraft Single Axle</b>					
1200	62	6' -10'	50	56	59

<b>Watercraft Single Axle</b>					
2000	102	6' -10'	84	93	97.5

<b>Single Axle Rollers</b>					
1550	78	15'-16'	60	69	73.5
1850	84	16'-17'	67	75.5	79.75
2050	84	16'-17'	67	75.5	79.75
2250	84	17'-18'	67	75.5	79.75
2450	88	17'-18.5'	67	77.5	82.75

<b>Single Axle Rollers</b>					
2650	102	18'-19'	84	93	97.5
2850	102	19'-20'	84	93	97.5
2850	102	20'-21'	84	93	97.5
3050	102	18'-20'	84	93	97.5
3150	102	20'-21"	84	93	97.5
3350	102	20'-21"	84	93	97.5



[BOAT STORAGE SOLUTIONS - CLICK HERE](#)

LOAD CAPACITY	OVERALL WIDTH	BOAT LENGTH	WIDTH BETWEEN FENDERS	EST. TIRE CENTERLINE	EST. TIRE OUTSIDE WIDTH
<b>Tandem Axle Rollers</b>					
3600	102	18'-20'	84	93	97.5
3750	102	21'-23'	84	93	97.5
4250	102	21'-23'	84	93	97.5
4750	102	21'-23'	84	93	97.5
5250	102	21'-23'	84	93	97.5
5650	102	21'-23'	84	93	97.5
5950	102	24'-25'	84	93	97.5
6450	102	25'-26'	84	93	97.5
7450	102	25'-27'	84	93	97.5
7950	102	25'-27'	84	93	97.5



<b>Triple Axle Rollers</b>					
7850	102	26'-27'	84	93	97.5
8650	102	27'-28'	84	93	97.5
9250	102	28'-30'	84	93	97.5
10,850	102	29'-31'	84	93	97.5



<b>Skiffs</b>					
1600	84	15'-16'	67	75.5	79.75
1800	84	17'-18'	67	75.5	79.75
2400	84	19'-21'	67	75.5	79.75
2500	102	16'-17'	84	93	97.5
2800	102	18'-21'	84	93	97.5
3200	102	19'-21'	84	93	97.5
4200	102	21'-24'	84	93	97.5



<b>Pontoon Trailers</b>					
2000	102	18'-20'	84	93	97.5
2400	102	18'-20'	84	93	97.5
2000	102	22'-24'	84	93	97.5
2400	102	22'-24'	84	93	97.5



<b>Pontoon Trailers</b>					
3000	102	22'-24'	84	93	97.5
3000	102	24'-26'	84	93	97.5
4000	102	24'-26'	84	93	97.5

